








Accessori
Accessories
Accessoires
Zubehörteile
Accesorios





	Kg/m
GT2-75	0,83
GT2-100	0,98
GT2-125	1,30
GT2-150	1,58





			
GT2-75-2.5	GT2-100-2.5	GT2-125-2.5	GT2-150-2.5
GT2-75-5	GT2-100-5	GT2-125-5	GT2-150-5
GT2-75-7.5	GT2-100-7.5	GT2-125-7.5	GT2-150-7.5
GT2-75-10	GT2-100-10	GT2-125-10	GT2-150-10
GT2-75-12.5	GT2-100-12.5	GT2-125-12.5	GT2-150-12.5
GT2-75-15	GT2-100-15	GT2-125-15	GT2-150-15
GT2-75-20	GT2-100-20	GT2-125-20	GT2-150-20
GT2-75-40	GT2-100-40		

	
GT5-100-2.5	GT5-150-2.5
GT5-100-5	GT5-150-5
GT5-100-7.5	GT5-150-7.5
GT5-100-10	GT5-150-10
GT5-125-2.5	GT5-200-2.5
GT5-125-5	GT5-200-5
GT5-125-7.5	GT5-200-7.5
GT5-125-10	GT5-200-10


 Tubo flessibile antischiacciamento per aspirazione gas resistente fino a 200°C.


 Crushproof flexible hose for exhaust extraction resistant up to 200°C


 Tuyau flexible anti-écrasement pour aspiration de gaz resistant jusqu'à 200°C


 Überfahrbarer flexibler Abgasschlauch temperaturbeständig bis 200°C


 Manguera flexible antiplastamiento para gases de escape resistente hasta 200°C

 Tubo flessibile per aspirazione gas resistente fino a 500°C. Alta resistenza alla trazione ma non antischiacciamento.

 Flexible hose for exhaust extraction resistant up to 500°C. High traction resistance but not crush-proof.


 Tuyau flexible pour aspiration gaz d'échappement resistant jusqu'à 500°C

 Flexibler Abgasschlauch Temperaturbeständig bis 500°C

 Manguera flexible para gases de escape resistente hasta 500°C

GT7

GT1



GT7-100-2.5
GT7-100-5
GT7-100-7.5
GT7-100-10
GT7-125-2.5
GT7-125-5
GT7-125-7,5
GT7-125-10

GT7-150-2.5
GT7-150-5
GT7-150-7.5
GT7-150-10
GT7-200-2.5
GT7-200-5
GT7-200-7,5
GT7-200-10

GT1-100-2.5
GT1-100-5
GT1-100-7.5
GT1-100-10
GT1-125-2.5
GT1-125-5
GT1-125-7,5
GT1-125-10

GT1-150-2.5
GT1-150-5
GT1-150-7.5
GT1-150-10
GT1-200-2.5
GT1-200-5
GT1-200-7,5
GT1-200-10

Tubo flessibile per aspirazione gas resistente fino a 700°C. Alta resistenza alla trazione ma non antischiacciamento.

Flexible hose for exhaust extraction resistant up to 700°C. High traction resistance but not crush-proof.

Tuyau flexible pour aspiration gaz d'échappement resistant jusqu'à 700°C

Flexibler Abgaschlauch Temperaturbeständig bis 700°C

Manguera flexible para gases de escape resistente hasta 700°C


Tubo flessibile per aspirazione gas resistente fino a 1000°C. Alta resistenza alla trazione ma non antischiacciamento.


Flexible hose for exhaust extraction resistant up to 1000°C. High traction resistance but not crush-proof.


Tuyau flexible pour aspiration gaz d'échappement resistant jusqu'à 1000°C

Flexibler Abgaschlauch Temperaturbeständig bis 1000°C


Manguera flexible para gases de escape resistente hasta 1000°C




 923480
GTA-100
GTA-120
GTA-130
GTA-150
GTA-160
GTA-200
GTA-250

 923480
GTP-100
GTP-120
GTP-130
GTP-150
GTP-160
GTP-200
GTP-250


 Tubo flessibile in alluminio estensibile da 1 a 3 mt.


 Aluminum flexible stretch hose from 1 up to 3 mt

 Tuyau flexible en aluminium extensible de 1 jusqu'à 3 mt

 Flexibler Alu-Schlauch 1 mt. lang, ausziehbar bis 3 mt.

 Manguera flexible en aluminio extensible de 1 hasta 3 mt.

 Tubo flessibile spalmato in pvc resistente fino a 110°C


 PVC flexible hose resistant up to 110°C

 Tuyau flexible en PVC resistant jusqu'à 110°C

 Flexibler Schlauch aus PVC temperaturbeständig bis 110°C


 Manguera flexible en PVC para temperaturas hasta 110°C




	
GF-50	GF-150
GF-75	GF-160
GF-80	GF-180
GF-100	GF-200
GF-120	GF-250
GF-125	GF-315
GF-130	





GSR-75
GSR-100
GSR-125
GSR-150
GSR-200

 Fascetta per tubazioni flessibili


 Clamp for flexible hoses


 Collier de serrage pour tuyaux flexibles


 Schlauchschelle


 Abrazadera para mangueras flexibles


 Sgancio rapido da tubo flessibile per sostituzione bocchetta


 Quick coupling for flexible hose suitable for nozzle replacement

 Attache rapide pour flexibles étudié pour le remplacement rapide de l'entonnoir.


 Schnellkupplung für flexiblen Schläuche geeignet für Düsenwechsel


 Enchufe rápido para mangueras flexibles estudiado para intercambio de boquerel






GCC-75
GCC-100
GCC-125
GCC-150
GCC-200

 Manicotto in lamiera per giunzione di tubi flessibili


 Metal cowling for flexible hose connection

 Manchon en tôle pour la jonction des flexibles


 Verbindungshülse

 Manguito de conexión para mangueras





GDY-757575
GDY-1007575
GDY-100100100
GDY-125100100
GDY-150125125

 Bivio simmetrico in lamiera per sdoppiare tubi flessibili

 Metal Y piece for flexible hoses

 Déviation symétrique pour tuyaux flexibles

 Y-Stück für Schläuche

 Desvío en Y para mangueras